

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

EP 0,899,325 A2
[Claims only, as requested]

Translated from German by the Ralph McElroy Co., Custom Division 910 West Avenue, Austin,
Texas 78701 USA

Code: 282-69518

EUROPEAN PATENT OFFICE
EUROPEAN PATENT NO. EP 0,899,325 A2

Int. Cl. ⁶ :	C 11 D 3/00 C 11 D 1/62 C 11 D 3/02
Application No.:	98810753.8
Application Date:	August 6, 1998
Date of Publication of the Application:	March 3, 1999 Patent Bulletin 1999/09
Priority	
Date:	August 15, 1997
Country:	EP
No.:	97810573
Designated Contracting States:	AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE
Designated Extension States:	AL, LT, LV, MK, RO, SI


SOFTENER COMPOSITION

Applicant:	Ciba Specialty Chemicals Holding Inc. 4057 Basel (CH)
Inventors:	Alfred Höhener 4312 Magden (CH) Roland Frick 68480 Durmenach (FR)

* * *


Claims

1. A softener composition containing
 - (a) a water-soluble Zn, Fe(II), Ca, Mg, Na, K, Al, Si(IV), P(V), Ti(IV), Ge(IV), Cr(VI), Ga(III), Zr(IV), In(III), Sn(IV) or Hf(VI) phthalocyanine; and
 - (b) a quaternary ammonium compound of the formula




where

R_1 and R_2 , independent of one another, mean C_1 - C_5 alkyl; or hydroxy- C_1 - C_5 alkyl; A means a residue of the formula



or a residue of the formula



B means a C_1 - C_5 alkyl, a C_8 - C_{20} fatty acid residue; the residue of formula (1a) or of the residue of formula (1b);


R_3 , R_4 and R_5 , independent of one another, mean a C_8 - C_{20} fatty acid residue;

X_1^- means an anion that is compatible for softeners;

and

m , n and p mean a number from 0 to 5.

2. A composition as in Claim 1, which is characterized by the fact that it contains a phthalocyanine of the formula



where

PC means the phthalocyanine ring system;

Me means Zn, Fe(II), Ca, Mg, Na, K, Al-Z₁, Si(IV), P(V), Ti(IV), Ge(IV), Cr(VI), Ga(III), Zr(IV), In(III), Sn(IV) or Hf(VI);

Z₁ means a halide, sulfate, nitrate, acetate, alcoholate, carboxylate or hydroxyl ion;

q means 0, 1 or 2;

r means 1 to 4,


Q₁ means a sulfo or carboxyl group; or a residue of the formula $-\text{SO}_2\text{X}_2\text{-R}_6\text{-X}_3^+$, $-\text{O-R}_5\text{-X}_3^+$ or $-(\text{CH}_2)_t\text{Y}_1^+$;

where


R₆ means a branched or unbranched C₁-C₈ alkylene; or 1,3- or 1,4-phenylene;

X₂ means $-\text{NH}-$; or $-\text{N-C}_1\text{-C}_5$ alkyl;

X₃ means a group of the formula




for the case that R₆ = C₁-C₈ alkylene, also a group of the formula



Key: 1 or

Y₁⁺ means a group of the formula



Key: 1 or

t means 0 or 1;

where in the above formulas

R_7 and R_8 , independent of one another, mean C_1 - C_6 alkyl;

R_9 means C_1 - C_6 alkyl; C_5 - C_7 cycloalkyl; or $NR_{11}R_{12}$;

R_{10} and R_{11} , independent of one another, mean C_1 - C_5 alkyl;

R_{12} and R_{13} , independent of one another, mean hydrogen or C_1 - C_5 alkyl;






R_{14} and R_{15} , independent of one another, mean C_1 - C_6 alkyl that is not substituted or is substituted by hydroxy, cyano, carboxy, carb- C_1 - C_6 -alkoxy, C_1 - C_6 alkoxy, phenyl, naphthyl or pyridyl;


u means 1 to 6;

A_1 means the complement to an aromatic 5- to 7-member nitrogen heterocycle, which optionally can still contain one or two other nitrogen atoms as ring members, and



B_1 is the complement to a saturated 5- to 7-member nitrogen heterocycle, which can optionally still contain 1 to 2 nitrogen, oxygen and/or sulfur atoms as ring members;

Q_2 means hydroxy; C_1 - C_{22} alkyl; branched C_4 - C_{22} alkyl; C_2 - C_{22} alkenyl; branched C_4 - C_{22} alkenyl and mixtures thereof; C_1 - C_{22} alkoxy; a sulfo or carboxyl residue; a residue of the formula





a branched alkoxy residue of the formula



an alkylethyleneoxy unit of the formula

$\text{-(T}_1\text{)}_d\text{-(CH}_2\text{)}_b\text{(OCH}_2\text{CH}_2\text{)}_a\text{-B}_3$ or an ester of the formula COOR_{23}

where

B_2 means hydrogen; hydroxy; $\text{C}_1\text{-C}_{30}$ alkyl; $\text{C}_1\text{-C}_{30}$ alkoxy; $\text{-CO}_2\text{H}$; $\text{-CH}_2\text{COPOH}$; $\text{SO}_3\text{-M}_1^+$; $\text{-OSO}_3\text{-M}_1^+$; -PO_3^{2-} ; M_1 ; $\text{-OPO}_3^{2-}\text{M}_1$; and mixtures thereof;

B_3 means hydrogen; hydroxy; -COOH ; $\text{-SO}_3\text{-M}_1^+$; $\text{-OSO}_3\text{-M}_1^+$; $\text{C}_1\text{-C}_6$ alkoxy;

M_1 means a water-soluble cation;

T_1 means -O- or NH ;

X_1 and X_4 , independent of one another, mean -O- , -NH- , or $\text{-N-C}_1\text{-C}_5\text{-alkyl}$;

R_{16} and R_{17} , independent of one another, mean hydrogen, the sulfo group and its salts, the carboxyl group and its salts or the hydroxyl group, where at least one of the residues R_{16} and R_{17} stands for a sulfo or carboxyl group or its salts,

Y_2 means -O- , -S- , -NH- or $\text{-N-C}_1\text{-C}_5\text{-alkyl}$;

R_{18} and R_{19} , independent of one another, mean hydrogen, $\text{C}_1\text{-C}_6$ alkyl, hydroxy- $\text{C}_1\text{-C}_6$ alkyl, cyano- $\text{C}_1\text{-C}_6$ alkyl, sulfo- $\text{C}_1\text{-C}_6$ alkyl, carboxy or halo- $\text{C}_1\text{-C}_6$ alkyl; phenyl that is not substituted or is substituted by halogen, $\text{C}_1\text{-C}_4$ alkyl or $\text{C}_1\text{-C}_4$ alkoxy, sulfo or carboxy; or R_{18} and R_{19} together with the nitrogen to which they are bonded form a saturated 5- or 6-member heterocyclic ring, which additionally can contain another nitrogen or oxygen atom as a ring member;

R_{20} and R_{21} , independent of one another, mean a $\text{C}_1\text{-C}_6$ alkyl or aryl- $\text{C}_1\text{-C}_6$ alkyl residue;

R_{22} means hydrogen; or C_1 - C_6 alkyl that is not substituted or is substituted by halogen, hydroxy, cyano, phenyl, carboxy, carb- C_1 - C_6 alkoxy or C_1 - C_6 alkoxy;

R_{23} means C_1 - C_{22} alkyl, branched C_4 - C_{22} alkyl, C_1 - C_{22} alkenyl or branched C_4 - C_{22} alkenyl; C_3 - C_{22} glycol; C_1 - C_{22} alkoxy; branched C_4 - C_{22} alkoxy; and mixtures thereof;

M means hydrogen; or an alkali metal or ammonium ion;

Z_2 means a chlorine, bromine, alkyl or aralkyl sulfate ion;

a means 0 or 1;

b means 0 to 6;

c means 0 to 100;

d means 0 or 1;

e means 0 to 22;

v means a whole number from 2 to 12;

w means 0 or 1; and


A means an organic or inorganic anion

and

s is equal to r in the case of monovalent anions A_s^- and is $\leq r$ in the case of polyvalent anions, where A_s^- must compensate the positive charge; where, if $r \neq 1$; the residues Q_1 can be the same or different,

and where the phthalocyanine ring system can also contain other solubilizing groups.

3. A composition as in Claim 1 or 2, which is characterized by the fact that it contains a phthalocyanine of the formula



where

PC, X_2 , X_3 , R_6 have the meaning given in Claim 2;

M means hydrogen, an alkali metal, ammonium or amine salt ion;

and the sum of the numbers r_1 and r_2 is from 1 to 4 and

A_s exactly compensates the positive charge of the remaining molecule.

4. A composition as in Claim 1 or 2, which is characterized by the fact that it contains a phthalocyanine of the formula




where

PC is as defined in Claim 2,


R_6' is C_2 - C_6 alkylene;

r_1 is a number from 1 to 4;

X_3^- means



or



where

R_7 and R_8 , independent of one another, mean C_1 - C_4 alkyl that is unsubstituted or is substituted by hydroxy, cyano, halogen or phenyl;

R_9 means R_7 ; cyclohexyl or amino;

R_{11} means C_1 - C_4 alkyl;

R_{21} means C_1 - C_4 alkyl; C_1 - C_4 alkoxy; halogen, carboxy, carb- C_1 - C_4 alkoxy or hydroxy;

and

A' is a halide, alkyl sulfate or aryl sulfate ion;

where the residues $-\text{SO}_2\text{NHR}'_6\text{-X}_3^+\text{A}^-$ can be the same or different.

5. A composition as in Claim 1 or 2, which is characterized by the fact that the composition contains phthalocyanines of the formula



where

PC means the phthalocyanine ring system;

Me means Zn, Fe(II), Ca, Mg, Na, K, Al- Z_1 , Si(IV), P(V), Ti(IV), Ge(IV), Cr(VI), Ga(III), Zr(IV), In(III), Sn(IV) or Hf(VI);

Z_1 means a halide, sulfate, nitrate, acetate, alcoholate, carboxylate or hydroxy ion;

q means 0, 1 or 2,

Y_3' means hydrogen, an alkali metal or ammonium ion; and


r is any number from 1 to 4.

6. A composition as in Claim 5, which is characterized by the fact that in formula (5)

Me means Zn or Al- Z_1 ; and







Z_1 means a halide, sulfate, nitrate, acetate, alcoholate, carboxylate or hydroxy ion.

7. A composition as in Claim 1, 2 or 5, which is characterized by the fact that the composition contains a phthalocyanine of the formula





where

R_{24} means hydroxy; C_1 - C_{22} alkyl; branched C_4 - C_{22} alkyl; C_1 - C_{22} alkenyl; branched C_4 - C_{22} alkenyl and mixtures thereof; C_1 - C_{22} alkoxy; a sulfo or carboxyl residue; a residue of the formula



a branched alkoxy of the formula



an alkylethyleneoxy unit of the formula

$-(T_1)_d-(CH_2)_b(OCH_2CH_2)_a-B_3$ or an ester of the formula $COOR_{23}$; and

U means $[Q_1]_R^+A_s^-$; or Q_2 ; and

R_{16} , R_{17} , R_{18} , R_{19} , R_{20} , R_{21} , R_{22} , R_{23} , B_2 , B_3 , M , M_1 , Q_1 , Q_2 , A_s , T_1 , X_1 , Y_2 , Z_2' , a , b , c , d , e , r , v , and w have the meaning given in formulas (2a) and (2b).


8. A composition as in one of Claims 1 to 7, which is characterized by the fact that the quaternary ammonium compound corresponds to formula (1), where

X_1 means a halogen atom; $-CH_3SO_4^-$, $-C_2H_5SO_4^-$ or $-NO_3^-$.

9. A composition as in one of Claims 1 to 8, which is characterized by the fact that in formula (1) A and B, independent of one another, mean the residue of formula (1a) or (1b).

10. A composition as in Claim 9, which is characterized by the fact that A and B mean the residue of formula (1b).

11. A composition as in one of Claims 1 to 7, which is characterized by the fact that the quaternary ammonium compound corresponds to the formula



where

R_1 , R_2 and B mean C_1 - C_5 alkyl;

R_3 means the aliphatic residue of a tallow fatty acid; and

X_3^- means a halogen atom.

12. A composition as in Claim 1, containing

(a) a water-soluble phthalocyanine of formula (5) as in Claim 5, and

(b) a quaternary ammonium compound of formula (8) as in Claim 11.

13. A composition as in Claim 1, containing

(a) a water-soluble phthalocyanine of formula (10) as in Claim 7, and

(b) a quaternary ammonium compound of formula (8) as in Claim 11.

14. A composition as in Claim 1, which is characterized by the fact that it contains 0.0001 to 0.05% by weight of component (a) and

1 to 20% by weight of component (b).

15. A method for bleaching textile fiber materials with a photobleaching agent, which is characterized by the fact that soiled textiles are treated in a bath [that contains] the softener composition, containing

(a) a water-soluble Zn, Fe(II), Ca, Mg, Na, K, Al, Si(IV), P(V), Ti(IV), Ge(IV), Cr(VI), Ga(III), Zr(IV), In(III), Sn(IV) or Hf(VI) phthalocyanine; and

(b) a quaternary ammonium compound of formula (1),
with irradiation with visible and/or infrared light or in daylight and in the presence of oxygen, where either the softener bath is irradiated directly or the wet textiles are irradiated outside of the softener bath.